



ANDHRA PRADESH POLLUTION CONTROL BOARD  
D.No.33-26-14D/2, Near Sunrise Hospital, Pushpa Hotel Centre,  
Chalamalavari Street, Kasturibaipet, Vijayawada - 520 010  
Phone. No.0866-2463200, Website : www.pcb.ap.gov.in

RED CATEGORY  
CONSENT & HAZARDOUS WASTE AUTHORIZATION ORDER

Consent Order No : APPCB/VSP/VSP/339/HO/CFO/2020-

22/06/2020

CONSENT is hereby granted for Operation under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation under Rule 6 of the Hazardous & Other Wastes (Management and Transboundary, Movement) Rules, 2016 and the rules and orders made there under (hereinafter referred to as 'the Acts', 'the Rules') to:

M/s. Valens Molecules Pvt Ltd.,  
(Formerly M/s. Posh Chemicals Pvt Ltd.),  
Plot No. 24/C, Atchuthapuram APSEZ (De-notified Area),  
Lalamkoduru (V) & part of Gurajapalem (V),  
Ramballi (M), Visakhapatnam District  
E-mail: info@valensmolecules.com

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

i. Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge	Point of Disposal
1	HTDS & HCOD effluent - Process - 96.6 Scrubber system - 9.00	105.6 KLD	Shall be routed through M/s. Andhra Pradesh Environment Corporation Limited (M/s. APEMCL) so as to send the pre-treated effluents to MEE of CETP, JN Pharmacy, till the CETP, Atchuthapuram is commissioned. The industry shall reduce the production to limit the treated effluent quantity of HTDS & LTDS whenever the CETP, JN Pharmacy receives effluent more than its capacity. If the capacity of CETP, JNPC is not sufficient in future, then the permission to effluents to CETP of JN

			Pharmacy will be withdrawn.
2	<b>LTDS</b> Process - 45.30, Washings - 3.0 KLD, Boiler Blow down - 8.00 KLD, cooling tower blow down - 10.00 KLD, DM Plant regeneration - 4.00 KLD, , R & D, QC - 1.00 and Domestic - 7.20 KLD	78.50 KLD	The industry shall send the pre-treated effluent routing M/s. Andhra Pradesh Environment Corporation Limited (M/s. APEMCL) so as to send to MEE of CETP, JN Pharmacy, till the CETP, Atchuthapuram is commissioned. The industry shall reduce the production to limit the treated effluent quantity of HTDS & LTDS whenever the CETP, JN Pharmacy receives effluent more than its capacity. If the capacity of CETP, JNPC is not sufficient in future, then the permission to effluents to CETP of JN Pharmacy will be withdrawn.

## ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow
1.	Attached to 1 x 3.0 TPH Coal fired boiler	-
2.	Attached to 1 x 1250 KVA DG set	-

## iii) HAZARDOUS WASTE AUTHORISATION (FORM - II) [See Rule 6 (2)]:

M/s. Valens Molecules Pvt Ltd., (Formerly M/s. Posh Chemicals Pvt Ltd.), Plot No. 24/C, Atchuthapuram APSEZ (De-notified Area), Lalamkoduru (V) & part of Gurajapalem (V), Ramballi (M), Visakhapatnam District is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

- HAZARDOUS WASTES WITH DISPOSAL OPTION:

S. No	Name of the Hazardous waste	Stream	Quantity	Disposal Option
1.	Organic residue	28.1 of Schedule - I	1.95 TPD	Shall be routed through M/s. APEMCL so as to send to TSDF for co-processing / Cement Industries for alternate fuel in the kiln/ AFRF units for preprocessing and onward disposal to Cement industries.
2.	Spent carbon	28.3 of Schedule - I	0.78 TPD	
3.	Inorganic Solid waste	28.1 of Schedule - I	0.75 TPD	Shall be routed through M/s. APEMCL so as to send to TSDF for secured land filling.
4.	ETP Sludge	35.3 of Schedule - I	0.5 TPD	
5.	Gypsum	28.1 of	6084.3	Shall be routed through M/s. APEMCL so

(calcium sulfate) with (10%) moisture	Schedule-I	Kg/day	as to send to APPCB authorized agencies.
---------------------------------------	------------	--------	--

• HAZARDOUS WASTES WITH RECYCLING OPTION:

S.No	Name of the Hazardous waste	Stream	Quantity of Hazardous waste	Method of disposal
1.	Detoxified Containers/ drums liners	33.1 of Schedule-I	500 Nos/ Month	After complete detoxification, shall be routed through M/s. APEMCL so as to send to authorized agencies of APPCB.
	HDPE carboys		500 Nos/ Month	
	Fiber drums		500 Nos/ Month	
	PP Bags		500 Nos/ Month	
2.	Waste oils & Grease	5.1 of Schedule-I	100 LPA	Shall be routed through M/s. APEMCL and shall be disposed to APPCB authorized recyclers or to the cement industries to use as alternate fuel in the kiln.
3.	Used oil	5.1 of Schedule-I	600 LPA	
4.	Spent solvents	28.6 of Schedule-I	41 KLD	Shall be recovered within the premises and reuse or shall be routed through M/s. APEMCL so as sent to APPCB authorized recyclers for recovery.
5.	Spent mixed Solvents		2 KLD	
6.	Miscellaneous Incinerable Waste (Used PPE, PP Cloth, Cora Cloth, Cotton Waste, Filter Bags, Thermocol, Rubber, Teflon, PFRP etc.....)	33.2 of Schedule-I	500 Kg/day	Shall be routed through M/s. APEMCL and shall be send to authorized agencies, after complete detoxification for reuse/recycle.

Other Wastes (non- hazardous waste) details:

S.No	Name of the Hazardous waste	Quantity of Hazardous waste	Method of disposal
1.	Boiler Ash	9.6 TPD	Disposed to Brick Manufacturers.

2.	Used lead acid batteries	5 Nos/year	Shall be routed through M/s. APEMCL so as to send back to dealers on buy back system.
----	--------------------------	------------	---

This consent order is valid for manufacturing the following products along with quantities indicated only:

Sl. No.	Name of the Products and By-products	Proposed capacity Kg/day	No of stages	Starting Raw material & Molecular Formula	Quantity of starting raw material (Kg/day)
1.	Sulfadimethoxine	583.33	5	Urea	417.33
	Campaign products				2018.78
1.	Sulfapyridine	1200	1	2-Amino Pyridine C <sub>6</sub> H <sub>8</sub> N <sub>2</sub>	552.33
2.	Sulfasalazine	1300	3	Sulfapyridine C <sub>11</sub> H <sub>11</sub> N <sub>2</sub> O <sub>2</sub> S	1300
3.	N-Acetylsulfanilyl Chloride	1583.33	1	Acetnide, C <sub>8</sub> H <sub>9</sub> NO	1219.17
4.	Sulfathiazole	274.0	2	Vinyl Acetate	320
5.	Sulfadimethoxine Sodium	200.00	6	Urea	125.2
6.	Sulfadiazine	233.33	3	Gunadine Hydrochloride	42
7.	Sulfamethazine	233.33	3	Gunadine Nitrate	176.17
	<b>Maximum proposed production quantity on various combinations (1 Regular Product + 3 Campaign Products at a time)</b>	<b>4666.67 Kg/day</b>			

Maximum 4 products (1 Regular and 3 Campaign Products) will be manufactured from 8 products (1 Regular and 7 Campaign Products) on campaign basis either Bulk Drugs or Corresponding quantities of intermediates as per the market demand.

This order is subject to the provisions of 'the Acts' and the Rules' and orders made there under and further subject to the terms and conditions incorporated in the schedule A, B & C enclosed to this order.

This combined order of consent & Hazardous Waste Authorization shall be valid for a period ending with the 28<sup>th</sup> day of February, 2022.

**BANDLA SIVA SANKARA PRASAD, CHAIRMAN, O/o CHAIRMAN-APPCB**

To

M/s. Valens Molecules Pvt Ltd.,  
(Formerly M/s. Posh Chemicals Pvt Ltd.),  
Plot No. 24/C, Atchuthapuram APSEZ (De-notified Area),  
Lalamkoduru (V) & part of Gurajapalem (V),  
Ramballi (M), Visakhapatnam District

Copy to :

1. The JCEE, Zonal Office, **Visakhapatnam** for information and necessary action.
2. The Environmental Engineer, Regional Office, **Visakhapatnam** for information and necessary action.

**SCHEDULE-A**

1. Any up-set condition in any industrial plant / activity of the industry, which result in, increased effluent / emission discharge and/ or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and District Magistrate and take immediate action to bring down the discharge / emission below the limits.
2. The industry should carryout analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.
3. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.
4. The industry should put up two sign boards (6x4 ft. each) at publicly visible places at the main gate indicating the products, effluent discharge standards, air emission standards, hazardous waste quantities and validity of CFO and exhibit the CFO order at a prominent place in the factory premises.
5. Notwithstanding anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
6. The industry shall ensure that there shall not be any change in the process technology, source & composition of raw materials and scope of working without prior approval from the Board.
7. The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E(P) Rules, 1986 & amendments thereof.
8. The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CFO conditions for obtaining Consent & HW Authorization of the Board. The industry should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board.
9. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules 1982, to Appellate authority constituted under Section 28 of the Water(Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air(Prevention and Control of Pollution)

Act, 1981.

10. The industry shall be liable to pay Environmental Compensation / Other Environmental Taxes, if any environmental damage caused to the surroundings, as fixed by the Collector & District Magistrate or any other competent authority as per the Rules in vogue.
11. The industry may explore the possibility of tapping the solar energy for their energy requirements.

**SCHEDULE-B**

1. The industry shall handover the original Consent order No. APPCB/VSP/VSP/330/HO/ CFO/2020 dated 05.02.2020 which is valid upto 28.02.2022 to the RO, Visakhapatnam after receipt of this order and the same stands cancelled from the date of receipt of this order.
2. The industry shall submit the annual returns under Hazardous waste within a week as informed in the CFO Committee meeting.
3. The industry shall construct closed shed for storage of coal will be completed within 2 months as informed in the CFO Committee meeting.
4. The industry shall install and maintain online VOC analyzer with data logger and submit monthly reports to the RO-Visakhapatnam within 2 months as informed in the CFO Committee meeting.
5. The industry shall install Online pH measuring facility to 2 -stage scrubbers within 2 months as informed in the CFO Committee meeting.
6. The industry shall provide Hood on the top of the effluent storage tank and vents shall be connected to the double stage scrubber to control odour nuisance within 2 months as informed in the CFO Committee meeting.
7. The industry shall comply with the CFE Order No.339/APPCB/CFE/RO-VSP/HO/2014 dated 06.03.2020.

**WATER POLLUTION:**

8. The LTDS effluents sent to CETP, Pharmacy shall not contain constituents in excess of the tolerance limits mentioned below, as per their MoU with M/s Ramky Pharma City.

Outlet	Parameter	Concentration in mg/l
2*	pH	6.50 - 8.50
	Temperature °C	< 45 <sup>0</sup> C
	TDS	12,000 mg/l
	TSS	600 mg/l
	BOD	3,000 mg/l
	COD	8,000 mg/l
	Oil and Grease	20 mg/l
	Chromium Hexavalent (as Cr+6)	2 mg/l
	Chromium ( total ) (as Cr)	2 mg/l
	Ammonical Nitrogen (as N)	30 mg/l
	Cyanide (as CN)	0.20 mg/l
	Lead (as Pb)	1 mg/l
	Nickel (as Ni)	3 mg/l
	Zinc (as Zn)	15 mg/l
	Arsenic (as As)	0.20 mg/l
Mercury (as Hg)	0.01 g/l	

(\* The industry shall segregate the HTDS and LTDS effluent streams and the effluents which are not meeting the above standards shall be treated as HTDS effluents and shall be sent MEE of Pharmacy for evaporation.).

9. The source of water is APIIC Supply. The following is the permitted water consumption:

Sl. No.	Purpose	Quantity (KLD)
1.	Process	124.0
2.	Washings (Reactors, Containers and floor moping)	3.00
3.	Boiler makeup	44.00
4.	Cooling tower Makeup	120.00
5.	DM Plant regeneration	4.0
6.	R & D, Q.C	1.0
7.	Scrubber	9.00
8.	Domestic	9.00
9.	Gardening	17.00
	Total	331.0

Separate meters with necessary pipe-line shall be maintained for assessing the quantity of water used for each of the purposes mentioned above.

10. Digital flow meters with totalizers with necessary pipelines shall be provided so as to assess the water used for different purposes and maintain them properly and also maintain the records of the readings.
11. The industry shall maintain web cameras as per the CPCB directions and provide connectivity to CPCB / APPCB server. The industry shall made arrangement for alternative power supply of uninterrupted power supply to transmit the data to CPCB & APPCB.
12. The LTDS and HTDS effluents shall be collected in above ground tanks / tank in tank at production block and stored in above ground level collection tanks separately. Free space shall be maintained around the tank in tank to observe leakages if any.
13. Effluents shall not be discharged onland or any water bodies or aquifers or outside under any circumstances. Floor washings shall be admitted into effluent collection system only and shall not be allowed to find their way into storm water drains or open areas.
14. The industry shall maintain container detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank after characterization.
15. The industry shall construct storm water drains and connect to the storm water tank collection sump.
16. The industry shall maintain rainwater runoff tank for collection and storage of first flush storm water for first 15 minutes of rain. The industry shall maintain dry condition outside drains in non-rainy season.
17. The industry shall send the pre-treated effluents to the CETP, JN Pharma city till the CETP, Atchutapuram SEZ is commissioned. **If the capacity of CETP, JNPC is not sufficient in future, then the permission to send effluents to CETP of JNPC, will be withdrawn.**

#### AIR POLLUTION:

18. The emissions shall not contain constituents in excess of the prescribed limits mentioned below:

Chimney No.	Parameter	Emission Standards
1	Particulate Matter	100 mg/Nm <sup>3</sup>



- 19.The industry shall comply with ambient air quality standards of PM10 (Particulate Matter size less than 10mm) - 100 mg/ m<sup>3</sup>; PM2.5 (Particulate Matter size less than 2.5 mm) - 60 mg/ m<sup>3</sup>; SO<sub>2</sub> - 80 mg/ m<sup>3</sup>; NO<sub>x</sub> - 80 mg/m<sup>3</sup>, outside the factory premises at the periphery of the industry.

Standards for other parameters as mentioned in the National Ambient Air Quality Standards CPCB Notification No.B-29016/20/90/PCI-I, dated 18.11.2009.

Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A)

Night time (10 PM to 6 AM) - 70 dB (A)

- 20.The industry shall comply with emission limits for DG sets of capacity upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Act Rules. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
- 21.The industry shall maintain energy meter to Air Pollution Control Equipment and maintain separate power consumption records pertaining to pollution control equipment.
- 22.The industry shall maintain multi-stage scrubbers to the process vents to control the process emissions.
- 23.Scrubber solution shall be recycled as far as possible and finally sent to CETP of Pharmacy for further treatment.
- 24.The evaporation losses in solvents shall be controlled by taking suitable measures, which include:
- Chilled brine circulation to effectively reduce the solvent losses into the atmosphere.
  - Transfer of solvents by using pumps and closed conveyance instead of manual handling.
  - Closed centrifuges be used due to which solvent losses are reduced drastically.
  - The reactor vents connected with primary & secondary condensers to catch the solvent vapours.
  - All the solvent storage tanks are connected with vent condensers to prevent solvent vapours.

**GENERAL:**

- 25.The industry shall not manufacture new products and not exceeding the production quantity, other than those mentioned in this order without CFE & CFO of the Board.
- 26.The drums containing chemicals / solvents shall be stored under a roof on elevated platform with a provision to collect leakages / spillages in the collection pit.
- 27.The industry shall comply with the Standard Operating Procedure (SoP) and Checklist of Minimal Requisite Facilities for Utilization of Spent Solvent for Recovery of Solvent specified for Solvent Recovery Units issued by CPCB.
- 28.The industry shall follow the SOP for Safe and Scientific Spent Solvent Handling, Processing and Storage.
- 29.The industry shall evaluate the performance of solvent recovery

- system for each stream-wise and shall furnish plan of action to maintain the efficiency of solvent recovery more than 95% for each stream wise.
- 30.The industry shall send the used /spent solvents to the APPCB recyclers (or) shall process them at their own solvent recovery plant within the plant premises.
  - 31.The industry shall comply with CPCB directions dated 05.02.2014 / 02.03.2015 and guidelines issued regarding online monitoring systems issued from time to time.
  - 32.The industry shall take all safety measures and provide firefighting equipment in the plant.
  - 33.The industry shall maintain the following log books and the same shall be made available to the inspecting officers of the Board:
    1. Daily production details (ER-1 Central Excise Returns).
    2. Quantity of Effluents generated, treated, recycled/reused and disposed to CETP.
    3. Log Books for pollution control systems.
    4. Characteristics of effluents and emissions.
    5. Hazardous/non hazardous solid waste generated and disposed.
    6. Inspection book.
    7. Manifest copies of effluents / hazardous waste.
    8. Furnish consolidated daily records on the above periodically once in three months to the RO.
  - 34.The industry shall not use odour causing substances such as Mercaptan or cause odour nuisance in the surroundings.
  - 35.The industry shall develop green belt in all the vacant places. In future, excess green belt over and above 22 % of total area can be utilized for industrial activity as per requirement of industry.
  - 36.The industry shall submit AAQ monitoring reports conducted by Authorised Agency every month.
  - 37.The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Board.
  - 38.The industry shall comply with the Regulation of Persistent Organic Pollutants Rules,2018 notified by the MoEF&CC Notification vide G.S.R. 207 (E) dated 30.05.2018. As per the notification, the following 7 chemicals are prohibited to manufacturer, trade, use, import and export:
    - a. Chlordecone,
    - b. Hexabromobiphenyl,
    - c. Hexabromodiphenyl ether and heptabromodiphenyl ether (commercial octa-BDE),
    - d. Tetrabromodiphenyl ether and pentabromodiphenyl ether (commercial penta-BDE),
    - e. Pentachlorobenzene,
    - f. Hexabromocyclododecane and
    - g. Hexachlorobutadine.
  - 39.The industry shall renew the PLI policy which includes Environmental Relief Fund (ERF) and submit copy to RO, Visakhapatnam on yearly basis.
  - 40.The industry shall update the information in OCEMS - Industry Information Data Entry Software for Compliance Reporting Protocol in PART-II (Sections F & G) Every Quarter on 1st January, 1st April, 1st July and 1st October through this software system.

41.Any other directions / circulars / notices issued by CPCB, MoEF&CC and APPCB shall be followed from time to time.

**SCHEDULE - C**  
***[See rule 6(2)]***

**[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING HAZARDOUS WASTES]**

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on “Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty”.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. An application for the renewal of an authorisation shall be made as laid down under these Rules.
9. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.

**Specific Conditions:**

10. The industry shall enter an agreement with the Cement industries for disposal of incinerable waste or shall dispose to Alternative Fuel Raw material facility (AFRF) OR to TSDF for co-incineration.
11. The industry shall comply with the provisions of HWM Rules, 2016 in terms of interstate transport of Hazardous Waste and manifest document prescribed Under Rule 18 and 19 of the HWM Rules, 2016.
12. The industry shall not store hazardous waste for more than 90 days as per the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.
13. The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.
14. The industry shall transport the hazardous waste to cement industries only through vehicle fitted with GPS tracking system.
15. The industry shall maintain 7 copy manifest system for transportation of waste generated and a copy shall be submitted to concerned Regional Office of APPCB. The driver who transports

Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM) Card.

- 16.The industry shall maintain proper records for Hazardous and Other Wastes stated in Authorisation in Form-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form-4 as per Rule 20 (2) of the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.
- 17.Annual return shall be filed by June 30<sup>th</sup> for the period ensuring 31<sup>st</sup> March of the year.

*The industry shall submit Half yearly compliance reports to all the stipulated conditions in Environmental Clearance (EC), Consent for Establishment (CFE) and Consent for Operation (CFO) through website i.e., <https://pcb.ap.gov.in> by 1st of January and 1st July of every year. The first half yearly compliance reports shall be furnished by the industry and second half yearly compliance reports shall be the audited through MoEF&CC recognized and National Accreditation Board for Laboratory Testing (NABL) accredited third party.*

**BANDLA SIVA SANKARA PRASAD, CHAIRMAN, O/o CHAIRMAN-APPCB**

To

M/s. Valens Molecules Pvt Ltd.,  
(Formerly M/s. Posh Chemicals Pvt Ltd.),  
Plot No. 24/C, Sy No. 18P, 19P & 25P,  
Atchuthapuram APSEZ (De-notified Area),  
Lalamkoduru (V) & part of Gurajapalem (V),  
Ramballi (M), Visakhapatnam District